

# How to Collect a Sputum Sample for Your Lab Test

## General Information

Your health care provider has ordered a sputum (also called mucus or phlegm) collection test. The test that is circled below is the one you will need to do.

## Before Collecting Your Sputum Sample

- You will be given the collection container(s) for your lab test before you are sent home.
- Write the following information on each of your collection containers:
  - your full name
  - date of collection
  - time of collection.
- Rinse or gargle with water.

## Collecting Your Sputum Sample

- Collect only one sample per day.
- Collect the sample(s) right away when you wake up from sleeping. Cough as deeply as possible to raise the sputum from your lungs (instead of saliva from your mouth).
- If you have problems collecting your sample, call your health care provider.

Follow the directions below to complete your sputum collection test.

# Ua Li Cas thiaj Cug tau ib co Hnoos Qeev Coj Mus Kuaj

## Tej Xov Xwm Luam

Koj tus kws kho mob tau hais kom koj cug ib co hnoos qeev (uas kuj hu ua qaub ncaug nplaum los sis qeev) coj mus kuaj. Txoj kev kuaj nram qab no uas sau voj voog ib ncig yog qhov uas koj yuav tsum ua.

## Ua Ntej Cug Koj Cov Hnoos Qeev

- Lawv yuav muab ib hwj cug cov hnoos qeev rau koj ua ntej koj mus tsev.
- Sau tej xov xwm nram qab no rau ntawm koj txhua lub hwj:
  - koj lub npe tag nrho
  - hnub uas muab cug cia
  - muab cug thaum pes tsawg moos.
- Yaug qhov ncauj los sis npuav dej.

## Txoj Kev Cug Koj Cov Hnoos Qeev

- Tsuas pub cug ib qho hnoos qeev tauj ib hnub.
- Cug cov hnoos qeev tom qab koj tsim los kiag. Sib zog hnoos kom thiaj hu tau cov qeev los ntawm koj ob lub ntsws (kom tsis txhob yog cov qaub ncauj ntawm koj lub qhov ncauj xwb).
- Yog koj muaj teeb meem cug koj cov hnoos qeev, hu koj tus kws kho mob.

Ua raws li tej lus qhia nram qab no kom thiaj cug tau koj cov hnoos qeev.

Kev Kuaj	Lub Hwj	Lus Qhia
<b>Kuaj Hnoos Qeev Seb Puas Muaj Kab Mob, Ua Tsuas</b>	lub hwj huv uas muaj ib lub hau	<ul style="list-style-type: none"> <li>■ Cug ib qho hnoos qeev.</li> <li>■ Kom zoo tshaj, yuav tsum xa cov hnoos qeev rov qab los rau lub tsev kuaj mob ua ntej dhau ob xuab moos. Yog tias ua tsis tau li no, muab cov hnoos qeev cia hauv chav tsev thiab xa rov qab los ua ntej dhau 24 xuab moos.</li> </ul>
<b>Kuaj Seb Puas Muaj tus Kab Mob AFB, Ua Tsuas</b>	lub hwj huv uas muaj ib lub hau	<ul style="list-style-type: none"> <li>■ Cug kom tau peb qho hnoos qeev hauv peb hnub.</li> <li>■ Cug txhua qhov hnoos qeev kom nyias muaj nyias lub hwj.</li> <li>■ Khaws cov hnoos qeev no cia hauv tub yees.</li> <li>■ Xa txhua qhov hnoos qeev rov qab los rau lub tsev kuaj mob thaum tib lub sij hawm.</li> </ul>
<b>Kuaj Seb Puas Mob Pwm</b>	lub hwj huv uas muaj ib lub hau	<ul style="list-style-type: none"> <li>■ Cug kom tau peb qho hnoos qeev hauv peb hnub.</li> <li>■ Cug txhua qhov hnoos qeev kom nyias muaj nyias lub hwj.</li> <li>■ Khaws cov hnoos qeev no cia hauv tub yees.</li> <li>■ Xa txhua qhov hnoos qeev rov qab los rau lub tsev kuaj mob ua ntej dhau ob hnub tom qab muab cug cia.</li> </ul>
<b>Mob Pwm/Pneumocystis, Ua Tsuas</b>	lub hwj huv uas muaj ib lub hau	<ul style="list-style-type: none"> <li>■ Cug ib qho hnoos qeev.</li> <li>■ Khaws qhov hnoos qeev no cia hauv tub yees.</li> <li>■ Xa rov qab los rau lub tsev kuaj mob ua ntej dhau 24 xuab moos.</li> </ul>
<b>Hnoos Qeev coj Mus Kuaj Xyuas (Cytology)</b>	Raj CytoLyt™	<ul style="list-style-type: none"> <li>■ Cug kom tau peb qho hnoos qeev hauv peb hnub.</li> <li>■ Tso txhua qhov hnoos qeev hauv tib lub hwj.</li> <li>■ Tsis txhob khaws cov hnoos qeev no cia hauv tub yees.</li> <li>■ Xa txhua qhov hnoos qeev rov qab los rau lub tsev kuaj mob thaum tib lub sij hawm rau ntawm hnub thib peb uas koj khaws cov hnoos qeev cia.</li> </ul>

Test	Container	Directions
<b>Sputum Culture, Stain</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect one sample.</li> <li>■ For best results, return the sample to the clinic within two hours. If this is not possible, keep the sample at room temperature and return it within 24 hours.</li> </ul>
<b>AFB Culture, Stain</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect a total of three samples on separate days.</li> <li>■ Collect each sample in a different cup.</li> <li>■ Keep the samples in the refrigerator.</li> <li>■ Return all of the samples to the clinic at one time.</li> </ul>
<b>Fungus Culture</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect a total of three samples on separate days.</li> <li>■ Collect each sample in a different cup.</li> <li>■ Keep the samples in the refrigerator.</li> <li>■ Return each sample to the clinic within two days of collection.</li> </ul>
<b>Fungus/Pneumocystis, Stain</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect one sample.</li> <li>■ Keep the sample in the refrigerator.</li> <li>■ Return the sample to the clinic within 24 hours.</li> </ul>
<b>Sputum for Cytology</b>	CytoLyt™ tube	<ul style="list-style-type: none"> <li>■ Collect a total of three samples on separate days.</li> <li>■ Put all of the samples in one container.</li> <li>■ Do not keep the samples in the refrigerator.</li> <li>■ Return all of the samples to the clinic at one time on the third day of collecting the samples.</li> </ul>