

# How to Collect a Sputum Sample for Your Lab Test

## General Information

Your health care provider has ordered a sputum (also called mucus or phlegm) collection test. The test that is circled below is the one you will need to do.

## Before Collecting Your Sputum Sample

- You will be given the collection container(s) for your lab test before you are sent home.
- Write the following information on each of your collection containers:
  - your full name
  - date of collection
  - time of collection.
- Rinse or gargle with water.

## Collecting Your Sputum Sample

- Collect only one sample per day.
- Collect the sample(s) right away when you wake up from sleeping. Cough as deeply as possible to raise the sputum from your lungs (instead of saliva from your mouth).
- If you have problems collecting your sample, call your health care provider.

Follow the directions below to complete your sputum collection test.

# Cómo recolectar una muestra de esputo para su prueba de laboratorio

## Información general

Su proveedor del cuidado de la salud ha ordenado una prueba de recolección de esputo (también llamado moco o flema). La prueba que está circulada abajo es la que usted necesita hacer.

## Antes de recolectar su prueba de esputo

- A usted se le dará contenedores de recolección para su prueba de laboratorio antes de que vaya a casa.
- Escriba la siguiente información en cada uno de sus contenedores de recolección:
  - su nombre completo
  - fecha de recolección
  - hora de recolección.
- Enjuague o haga gárgaras con agua.

## Recolectando su muestra de esputo

- Recolecte solamente un muestra al día.
- Recolecte la(s) muestra(s) inmediatamente después de despertar. Tosa tan fuertemente como pueda para sacar el esputo de sus pulmones (en lugar de la saliva de su boca).
- Si tiene problemas para recolectar su muestra, llame a su proveedor del cuidado de la salud

Siga las direcciones a continuación para completar su prueba de recolección de esputo.



AllinaHealth  
LABORATORY

[allinahealth.org](http://allinahealth.org)

(over)

<b>Prueba</b>	<b>Contenedor</b>	<b>Direcciones</b>
<b>Cultivo de esputo, mancha</b>	Contenedor limpio con tapa enroscable	<ul style="list-style-type: none"> <li>■ Recolete una muestra.</li> <li>■ Para mejores resultados, envíe la muestra a la clínica en menos de dos horas. Si esto no es posible, mantenga la muestra a temperatura ambiente y envíela en menos de 24 horas</li> </ul>
<b>Cultivo AFB, Mancha</b>	Contenedor limpio con tapa enroscable	<ul style="list-style-type: none"> <li>■ Recolete un total de tres muestras en días separados.</li> <li>■ Recolete cada muestra en un contenedor diferente.</li> <li>■ Guarde las muestras en el refrigerador.</li> <li>■ Envíe todas las muestras juntas a la clínica.</li> </ul>
<b>Cultivo de hongo</b>	Contenedor limpio con tapa enroscable	<ul style="list-style-type: none"> <li>■ Recolete un total de tres muestras en días separados.</li> <li>■ Recolete cada muestra en un contenedor diferente.</li> <li>■ Guarde las muestras en el refrigerador.</li> <li>■ Envíe cada muestra a la clínica en menos de dos días de haberlas recolectado.</li> </ul>
<b>Hongo/Pneumosistitis, Mancha</b>	Contenedor limpio con tapa enroscable	<ul style="list-style-type: none"> <li>■ Recolete una muestra.</li> <li>■ Guarde la muestra en el refrigerador.</li> <li>■ Envíe la muestra a la clínica en menos de 24 horas.</li> </ul>
<b>Esputo para Citología</b>	Tubo CytoLyt™	<ul style="list-style-type: none"> <li>■ Recolete un total de tres muestras en días separados.</li> <li>■ Ponga todas las muestras en un contenedor.</li> <li>■ No guarde las muestras en el refrigerador.</li> <li>■ Envíe todas la muestras juntas a la clínica, en el tercer día de recolectar las muestras.</li> </ul>

Test	Container	Directions
<b>Sputum Culture, Stain</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect one sample.</li> <li>■ For best results, return the sample to the clinic within two hours. If this is not possible, keep the sample at room temperature and return it within 24 hours.</li> </ul>
<b>AFB Culture, Stain</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect a total of three samples on separate days.</li> <li>■ Collect each sample in a different cup.</li> <li>■ Keep the samples in the refrigerator.</li> <li>■ Return all of the samples to the clinic at one time.</li> </ul>
<b>Fungus Culture</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect a total of three samples on separate days.</li> <li>■ Collect each sample in a different cup.</li> <li>■ Keep the samples in the refrigerator.</li> <li>■ Return each sample to the clinic within two days of collection.</li> </ul>
<b>Fungus/Pneumocystis, Stain</b>	clean cup with a screw cap	<ul style="list-style-type: none"> <li>■ Collect one sample.</li> <li>■ Keep the sample in the refrigerator.</li> <li>■ Return the sample to the clinic within 24 hours.</li> </ul>
<b>Sputum for Cytology</b>	CytoLyt™ tube	<ul style="list-style-type: none"> <li>■ Collect a total of three samples on separate days.</li> <li>■ Put all of the samples in one container.</li> <li>■ Do not keep the samples in the refrigerator.</li> <li>■ Return all of the samples to the clinic at one time on the third day of collecting the samples.</li> </ul>