

# Allina Health's Immunization Schedule

Age	Recommended Vaccines for All
Birth to 8 months	RSV-mAB
2 months	DTaP*-HepB*-IPV*    PCV20*    Hib*    RV1
4 months	DTaP*-HepB*-IPV*    PCV20*    Hib*    RV1
6 months	DTaP*-HepB*-IPV*    PCV20*
12 months	HepA*    MMR*    VAR*
15 months	PCV20*    Hib*
18 months	DTaP*    HepA*
4 to 6 years	DTaP*-IPV*    MMR*    VAR*
11 to 12 years	Tdap*    MCV4*    HPV9 (2 dose series, as early as age 9#)
16 years	MCV4*+
Recommended <u>every year</u> for all 6 months and older	Influenza**    ** Children younger than age 9 require two doses of the influenza (flu) vaccine at least 1 month apart the first time they are vaccinated.
Recommended for all 6 months and older	1vCOV-mRNA (1- or 2-dose primary series, and 1 seasonal dose for all)
Adult	Td    or    Tdap    HepB (19 to 59 years; 60 and older with risk factors) After 1 dose of Tdap starting at age 11 years, Td (Tdap can be used if Td isn't available)
50 years and older	RZV 2-dose series (Start at age 19 years when immunodeficient or immunosuppressed.)
65 years and older	PCV20 (65 years and older; 19 years and older with certain conditions or risk factors.)
75 years and older	RSV (75 and older, 60-74 years and older with increased risk of RSV disease from having certain chronic conditions or risk factors)

Recommended for some	Talk with your health care provider about if these vaccines are right for you.	HPV9 (27 to 45 years#)
		MenB (16 years, 2 dose series)

Vaccines and Brands	
respiratory syncytial virus (RSV) immunization (Beyfortus™)	RSV-mAB
diphtheria, tetanus and acellular pertussis + hepatitis B + inactivated poliovirus vaccine (Pediarix®)	DTaP-HepB-IPV
20-valent pneumococcal conjugate vaccine (Pevnar 20)	PCV20
haemophilus influenza type b conjugate vaccine (PedvaxHIB®)	Hib
rotavirus vaccine, oral (Rotarix®)	RV1
hepatitis A vaccine (Havrix®)	HepA
diphtheria, tetanus and acellular pertussis vaccine (Infanrix®)	DTaP
measles, mumps, rubella vaccine (Priorix™)	MMR
varicella (Varivax®)	VAR
tetanus + diphtheria toxoids and acellular pertussis vaccine, adolescent/adult (Boostrix®)	Tdap
meningococcal conjugate vaccine, quadrivalent (Menveo®)	MCV4
diphtheria, tetanus and acellular pertussis + inactivated poliovirus (Kinrix®)	DTaP-IPV
human papillomavirus vaccine (Gardasil® 9)	HPV9
trivalent inactivated influenza vaccine – IIV3 (FluLaval™)	Influenza
tetanus + diphtheria toxoids (Tenivac®)	Td
herpes zoster (Shingrix®)	RZV
respiratory syncytial virus vaccine (Arexvy™)	RSV
hepatitis B vaccine (Engerix-B®)	HepB
meningococcal group B vaccine (Bexsero®)	MenB
COVID-19 vaccine mRNA monovalent (Spikevax™/Moderna)	1vCOV-mRNA

\* Vaccines included in the Minnesota School Immunization Law. # Three doses of HPV9 are needed for people ages 15 to 45. + One dose of MCV4 is needed for previously unvaccinated first-year college students ages 19 to 21 who are or will be living in a residence hall.